ईस्टर्नकोलफिल्ड्सलिमिटेड)कोलइंडियाकाएकउपक्रम(सांक्तोड़िया,पो ःडिसेरगढ़ विपणनएवमविक्रयविभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING& SALES

Dated: 26.12.2022

ECL/HQ/ M&S/ SPOT E-AUCTION/

SUB : SPOT E - AUCTION OFFER

KIND ATTEN: Mr. PROSENJIT BANERJEE, SR MANAGER/BHASKAR SAHU, SR OFFICER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE ,KOLKATA –91.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND BELOW THE OFFERS FOR SPOT E-AUCTION SCHEDULED TO BE HELD ON **02nd OF JANUARY, 2023.** THE AUCTION IS TO BE HELD IN TERMS OF SPOT AUCTION SCHEME 2007 AND AMENDMENTS THEREOF.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE. OFFER BY ROAD MODE

Area	Source	Collier y Code	Range / Grade	Mid GCV (Kcal / kg)	Size	Offer Qty (MT)	Notifie d Price (Rs)	Reserv e Price (Rs)	Weighbridge Details
	JHANJRA Project-3&4		5801-		STM(-				
	Incline::Bonbahal (R-VII)/		6100/		100MM				3 & 4 Incline Road WB; Capacity : 50 Te;
Jhanjra	R-VIIA >>9324	9324	G5 6101-	5950) STM(-	9000	3017	3772	Dimension: 12 x 3 mts
	PARASCOLE :: JAMBAD (R-		6400/		250MM				Loc: Near Parascolecolly adjacent to
Kajora	VIII) >>9181	9181	G4	6250)	6000	3280	4100	Parascole (W) Sdg: Cap: 60mt Dim: 9mX3m
	CENTRAL		6401-		STM(-				· · · · · · · · · · · · · · · · · · ·
	KAJORA::LOWER KAJORA		6700/		250MM				Central Kajora Colliery Sdg. Location
Kajora	(R-VIIIT) >>9233	9233	G3	6550)	6000	3424	4280	Colliery Sdg CAP. 25 TE Dim. 6.13mx2.46m
			6101- 6400/		STM(- 100MM				CHORA 7/9 LOCATION: CHORA 7/9 PIT,
Kenda	CHORA 7/9::CHORA (R- VI) >>9332	9332	6400/ G4	6250	100MM	5000	3280	4100	CAPACITY:60 TONNES, DIMENSION 9 X 3 MTRS
Kenua	VI) >>352	5552	6101-	0230) STM(-	5000	5200	4100	NAME:CHORA 7/9 LOCATION:CHORA 7/9
	CHORA 10 PIT: CHORA		6400/		100MM				PIT, CAPACITY 60 TONNES, DIMENSION 9
Kenda	(R-VI) >>9333	9333	G4 [′]	6250)	3000	3280	4100	X 3 MTRS, DISTANCE 2.4 KM
	SANKARPUR		6101-		ŚTM(-				Weigh Bridge at the entry of Mine
1 /2 1	OCP::JAMBAD (R-VIII)	0076	6400/	6250	100MM	0000	22.00	1100	premises.: Capacity-60 Te : Dimension -
Kenda	>>9276 CHORA BLOCK	9276	G4 5801-	6250)	8000	3280	4100	9MX3M
	MINE::BONBAHAL		6100/		STM(- 100MM				Location: Sankarpur OCP Capacity: 60
Kenda	BOT(R-VIIA) >> 9208	9208	G5	5950)	3000	3017	3772	Tones Dimention: 9X3 Mtrs.
			5801-		STM(-				Name: Siduli Colliery Location: Sankarpur
	SIDULI::BONBAHAL(R-		6100/		100MM				OCP Capacity: 60 Tones Dimention: 9X3
Kenda	VII/R-VIIA) >>9120	9120	G5	5950)	3500	3017	3772	Mtrs. Distance: 1.8 Km.
и ь :			6401-		STM(-				Lessting Kunneteria Charlennet, Care 20Ta
Kunustori a	KUNUSTORIA: KENDA (R - V / VI) >>9316	9316	6700/ G3	6550	100MM	5000	3424	4280	Location:Kunustoria Stockyard ,Cap:-30Te :Dim-7.5MX3M
u	V / VI) >>5510	5510	6101-	0330) STM(-	5000	JTZT	4200	
Kunustori	AMRITNAGAR∷BOGRA		6400/		100MM				Location of W/B Amritnagar Colliery, Cap-30
а	(R-VI) >>9146	9146	G4	6250)	1500	3280	4100	MT, DIM- 6MX 2.4M
	NIRSA OC								
	PATCH::BRINDABANPUR(5801-		STM(-				Linked WD Nines, Grandity, CO to Lancting
Mugma	B-III)/KALIMATI(B-II) >>9572	9572	6100/ G5	5950	250MM	5000	3017	3772	Linked WB-Nirsa, Capacity- 60 te, Location- Nirsa, Dim -9M x 3M,
Huyma	SHAMPUR 'B'	3372	5801-	3930) STM(-	5000	5017	5772	Shaympur "B" Weighbridge, Cap: 60 te,
	(U.G)∷GOPINATHPUR		6100/		250MM				Loc:Shyampur "B" Colliery, Dim: 19.50 X
Mugma	(B IV) >>9224	9224	G5 [′]	5950)	500	3017	3772	12.0 M
	RAJMAHAL OCP:: { III &								
	II COMB, { III & II TOP, {		4301-		STM(-				Linked WB - Lalmatia, Capacity 50 Te,
Daimahal	II TOP & { II BOTTOM	9164	4600/ G10	4450	250MM	15000	1958	2448	Location- Near lalmatia Colliery, Length -
Rajmahal	>>9164 MOHANPUR	9104	5501-	4450) STM(-	12000	1928	2448	14.3 m
	OCP::SALANPUR A & B		5800/		250MM				MHN OCP W.B. CAP.60tes, Location MHN
Salanpur	(B-I I & B-I I I) >>9262	9262	G6	5650)	25000	2804	3505	W.B. Office, Dim. 24"8"X10"
	GOURANGDIH BEGUNIA								
	COLLIERY SALANPUR(B-		5501-		STM(-				
Colonau	II&B-III&B-IV&B-	0570	5800/	FCFO	100MM	40224	2004	2505	GOURANGDIH BEGUNIA OC WB, Capacity
Salanpur	V) >>9579 NIMCHA∷NEGA(R-	9579	G6 6101-	5650) STM(-	48221	2804	3505	60 Tonnes, Dimension 8 x 3 mts
	VIII)&NARAINKURI (R-		6400/		250MM				Nimcha Road WB near Nimcha Colliery
Satgram	VIII) >>9309	9309	G4	6250)	4000	3280	4100	Siding, Capacity-30 TeDimension: - 3M X 9M
J	, · · · · · · · · · · · · · · · · · · ·		6101-		STM(-		-		
	NARSAMUDA::NARSAMUD		6400/		100MM				Narsamuda Road WB Loc: Narsamudacolly
Sodepur	A (R-X) >>9128	9128	G4	6250)	3500	3280	4100	Cap-50Te 43' X 11'

Area	Source	Collier y Code	Range / Grade	Mid GCV (Kcal / kg)	Size	Offer Qty (MT)	Notifie d Price (Rs)	Reserv e Price (Rs)	Weighbridge Details
	BEJDIH∷SRIPUR (R - V I		5801- 6100/		STM (- 100MM				Patmohana WB, B.C. Incline, Capacity-60 MT,Dist from Bejdih ~ 2.25 km (approx.),
Sodepur) >>9243	9243	G5 [′]	5950)	1500	3017	3772	Platform size - 40 feet / 10 feet (approx.)
Sodepur	DHEMOMAIN∷SRIPUR (RVI) >>9245	9245	5801- 6100/ G5	5950	STM (- 100MM	1500	3017	3772	Dhemomain (Sripur) Road WB, Cap: -60Te, Dim- 12m x 3m
Jodepui	BHANORA WEST BLOCK MINE∷SRIPUR (R - VI)	5245	6101- 6400/	3330) STM (- 250MM	1500	5017	5772	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M
Sripur	>>9287	9287	G4	6250)	1500	3280	4100	X 3.1 M

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER SPOT E-AUCTION

For terms and conditions of Spot E-Auctions, buyers are advised to visit the website of Coal India Limited (<u>www.coalindia.in</u>). However relevant clauses of the said terms and conditions stand modified as per the guidelines received from GM (M&S), Coal India Limited vide letter ref. no. CIL/M&S/E-Auction/355 date: 15.06.2018:

As per directions of CIL, all the bidders/ buyers of coal under Spot E-Auction are hereby notified that the following terms and conditions shall be applicable on all the Spot E-Auctions which are to be conducted hereinafter.

"Auction shall be conducted on the Floor price, i.e., reserve price for each source/lot.

Bid price shall be expressed in terms of percentage premium over notified price on the date of bidding. Percentage premium will remain constant throughout lifting period of the particular spot e-auction.

Bid price shall be subject to revision with the changes in notified price of coal if any. Revised bid price shall be calculated by adding percentage premium over the revised Notified price prevailing on the date of supply.

Change in bid price shall only be upward in nature, i.e., only upward notified price revision shall be considered. In case of downward revision in notified price, the bid price at the date of bidding shall prevail at the time of supply."

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). Sale Orders / consent of Railway programme will be issued within **next** 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Documents to be submitted for booking Successful bidders are required to submit Sale intimation letter, consumer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate (duly notarized) alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL Computerised Sale Centre.
- Presently, all the coal consumers drawing coal under e-auction scheme are supposed to be registered under GSTN.

- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The spot e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- Exact amount to be deposited: The sum total of EMD and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.

Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of EMD) in one instalment only.

• Separate amount of advance: The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal consumers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent : State Bank of India, CAG Branch,34 J.N.Road, Kol-700 071, MICR CODE NO- 700002199, Account No- 10373629858, IFSC: SBIN0009998, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160 Cust ID: 582866895 Bank Branch IFSC Code: ICIC0000291 Unique Identifier for Field 7037:- ECL582866895 Alert for message type- Issuance & Amendment both (5017 & 5018 both).

 The requisite documents along with application may be sent in mail id <u>eclmns2020@yahoo.com</u> within 2 working days of deposition of coal value.

HOD (M&S)